



**# 1020
SiLazur**
Interior & Exterior
Silicate Paints
and Stains

Material Safety Data Sheet (MSDS)		
Section I: Manufactured by: PermaTint 100 Bradwick Dr., Concord, ON L4K 1K8 www.permatint.com info@permatint.com		Date : April 2014 Trade Name : # 1020 SiLzzur
		Emergency Phone: 866.850.TINT (8468) Chemical Type & Function: Potassium Silicate Based Interior/Exterior Paint & Stain

Section V : Health Hazard Data

A. Routes of Exposure :		B. Emergency & First Aid Procedures :
inhalation	not applicable	not applicable
skin contact	slight irritation possible	wash w/soap and water, remove effected clothing
skin absorption	not applicable	not applicable
eye contact	irritant of eyes and other mucous membranes	rinse immediately with large qty. of water (10-15 min.)
ingestion	unlikely route of entry	call physician

Section VI : Reactivity Data

stable X unstable	conditions to avoid: n / a
incompatability (materials to avoid):	none
hazardous decomposition products :	none
hazardous polymerisation :	will not occur

Section VII: Spill & Leak Procedures

measures in case of spills:	remove with absorbent material and discard in compliance with local regulations
waste disposal method :	Allow left-overs to dry out completely until solid. Dispose of solids with regular garbage acc. to local regulations.

Section VIII: Special Protection

respiratory protection:	For sprayer application wear respirator
general ventilation :	X
protective gloves:	X (recommended) (strongly recommended, when working above head)
eye protection:	X

Section IX: Precautions

Do not ingest. Keep out of reach of children.	Avoid contact with eyes and mucous membranes.
	Store at temperatures between +5 and + 30 ° C..
	Do not store together with strong oxidizers.
other precautions :	Apply standard industrial hygiene when handling chemicals